

Documentation Changes

2026-03-17

15 pages modified

English

Modified

- **Changelog** (changelog.md): 47 lines added, 0 removed
 - **Built-in commands** (commands.md): 1 lines added, 1 removed
 - **Data usage** (data-usage.md): 8 lines added, 8 removed
 - **Discover and install prebuilt plugins through marketplaces** (discover-plugins.md): 3 lines added, 5 removed
 - **Environment variables** (env-vars.md): 3 lines added, 1 removed
 - **Speed up responses with fast mode** (fast-mode.md): 5 lines added, 6 removed
 - **Automate workflows with hooks** (hooks-guide.md): 51 lines added, 2 removed
 - New section: “### Auto-approve specific permission prompts”
 - **Hooks reference** (hooks.md): 38 lines added, 9 removed
 - New section: “#### Permission update entries”
 - **Connect Claude Code to tools via MCP** (mcp.md): 1 lines added, 1 removed
 - **Create and distribute a plugin marketplace** (plugin-marketplaces.md): 8 lines added, 8 removed
 - **Create plugins** (plugins.md): 1 lines added, 1 removed
 - **Configure server-managed settings (public beta)** (server-managed-settings.md): 3 lines added, 3 removed
 - **Claude Code settings** (settings.md): 1 lines added, 1 removed
 - **Customize your status line** (statusline.md): 6 lines added, 4 removed
 - New section: “# Build progress bar: printf -v creates a run of spaces, then”
 - New section: “# `#{var// / }` replaces each space with a block character”
 - **Create custom subagents** (sub-agents.md): 4 lines added, 0 removed
-

2026-03-16

123 pages added

English

Added

- **Orchestrate teams of Claude Code sessions** (agent-teams.md)
- **Claude Code on Amazon Bedrock** (amazon-bedrock.md)
- **Track team usage with analytics** (analytics.md)
- **Authentication** (authentication.md)
- **Best Practices for Claude Code** (best-practices.md)
- **Changelog** (changelog.md)
- **Checkpointing** (checkpointing.md)
- **Use Claude Code with Chrome (beta)** (chrome.md)

- **Claude Code on the web** (claude-code-on-the-web.md)
- **CLI reference** (cli-reference.md)
- **Code Review** (code-review.md)
- **Built-in commands** (commands.md)
- **Common workflows** (common-workflows.md)
- **Manage costs effectively** (costs.md)
- **Data usage** (data-usage.md)
- **Get started with the desktop app** (desktop-quickstart.md)
- **Use Claude Code Desktop** (desktop.md)
- **Development containers** (devcontainer.md)
- **Discover and install prebuilt plugins through marketplaces** (discover-plugins.md)
- **Environment variables** (env-vars.md)
- **Speed up responses with fast mode** (fast-mode.md)
- **Extend Claude Code** (features-overview.md)
- **Claude Code GitHub Actions** (github-actions.md)
- **Claude Code GitLab CI/CD** (gitlab-ci-cd.md)
- **Claude Code on Google Vertex AI** (google-vertex-ai.md)
- **Run Claude Code programmatically** (headless.md)
- **Automate workflows with hooks** (hooks-guide.md)
- **Hooks reference** (hooks.md)
- **How Claude Code works** (how-claude-code-works.md)
- **Interactive mode** (interactive-mode.md)
- **JetBrains IDEs** (jetbrains.md)
- **Customize keyboard shortcuts** (keybindings.md)
- **Legal and compliance** (legal-and-compliance.md)
- **LLM gateway configuration** (llm-gateway.md)
- **Connect Claude Code to tools via MCP** (mcp.md)
- **How Claude remembers your project** (memory.md)
- **Claude Code on Microsoft Foundry** (microsoft-foundry.md)
- **Model configuration** (model-config.md)
- **Monitoring** (monitoring-usage.md)
- **Enterprise network configuration** (network-config.md)
- **Output styles** (output-styles.md)
- **Claude Code overview** (overview.md)
- **Configure permissions** (permissions.md)
- **Create and distribute a plugin marketplace** (plugin-marketplaces.md)
- **Plugins reference** (plugins-reference.md)
- **Create plugins** (plugins.md)
- **Quickstart** (quickstart.md)
- **Continue local sessions from any device with Remote Control** (remote-control.md)
- **Sandboxing** (sandboxing.md)
- **Run prompts on a schedule** (scheduled-tasks.md)
- **Security** (security.md)
- **Configure server-managed settings (public beta)** (server-managed-settings.md)
- **Claude Code settings** (settings.md)
- **Advanced setup** (setup.md)
- **Extend Claude with skills** (skills.md)
- **Claude Code in Slack** (slack.md)
- **Customize your status line** (statusline.md)
- **Create custom subagents** (sub-agents.md)
- **Optimize your terminal setup** (terminal-config.md)

- **Enterprise deployment overview** (third-party-integrations.md)
- **Tools reference** (tools-reference.md)
- **Troubleshooting** (troubleshooting.md)
- **Use Claude Code in VS Code** (vs-code.md)
- **Zero data retention** (zero-data-retention.md)

Traditional Chinese

Added

- **協調 Claude Code 工作階段團隊** (agent-teams.md)
- **Amazon Bedrock 上的 Claude Code** (amazon-bedrock.md)
- **使用分析追蹤團隊使用情況** (analytics.md)
- **Claude Code 最佳實踐** (best-practices.md)
- **Checkpointing** (checkpointing.md)
- **在 Chrome 中使用 Claude Code (測試版)** (chrome.md)
- **Claude Code 網頁版** (claude-code-on-the-web.md)
- **CLI 參考** (cli-reference.md)
- **Code Review** (code-review.md)
- **常見工作流程** (common-workflows.md)
- **有效管理成本** (costs.md)
- **資料使用** (data-usage.md)
- **開始使用桌面應用程式** (desktop-quickstart.md)
- **使用 Claude Code Desktop** (desktop.md)
- **開發容器** (devcontainer.md)
- **透過市場探索和安裝預建外掛程式** (discover-plugins.md)
- **使用快速模式加快回應速度** (fast-mode.md)
- **擴展 Claude Code** (features-overview.md)
- **Claude Code GitHub Actions** (github-actions.md)
- **Claude Code GitLab CI/CD** (gitlab-ci-cd.md)
- **Google Vertex AI 上的 Claude Code** (google-vertex-ai.md)
- **以程式方式執行 Claude Code** (headless.md)
- **使用 hooks 自動化工作流程** (hooks-guide.md)
- **Hooks 參考** (hooks.md)
- **Claude Code 如何運作** (how-claude-code-works.md)
- **互動模式** (interactive-mode.md)
- **JetBrains IDEs** (jetbrains.md)
- **自訂鍵盤快捷鍵** (keybindings.md)
- **法律和合規** (legal-and-compliance.md)
- **LLM gateway 配置** (llm-gateway.md)
- **透過 MCP 將 Claude Code 連接到工具** (mcp.md)
- **Claude 如何記住您的專案** (memory.md)
- **Claude Code on Microsoft Foundry** (microsoft-foundry.md)
- **模型配置** (model-config.md)
- **監控** (monitoring-usage.md)
- **企業網路配置** (network-config.md)
- **輸出樣式** (output-styles.md)
- **Claude Code 概述** (overview.md)
- **設定權限** (permissions.md)
- **建立並分發 plugin marketplace** (plugin-marketplaces.md)
- **Plugins 參考** (plugins-reference.md)
- **建立 plugins** (plugins.md)
- **快速入門** (quickstart.md)

- 使用遠端控制從任何裝置繼續本機工作階段 (remote-control.md)
- **Sandboxing** (sandboxing.md)
- 按排程執行提示 (scheduled-tasks.md)
- 安全性 (security.md)
- 設定伺服器管理的設定 (公開測試版) (server-managed-settings.md)
- **Claude Code** 設定 (settings.md)
- 設定 **Claude Code** (setup.md)
- 使用 **skills** 擴展 **Claude** (skills.md)
- **Slack** 中的 **Claude Code** (slack.md)
- 自訂您的狀態列 (statusline.md)
- 建立自訂 **subagents** (sub-agents.md)
- 優化您的終端機設置 (terminal-config.md)
- 企業部署概述 (third-party-integrations.md)
- 疑難排解 (troubleshooting.md)
- 在 **VS Code** 中使用 **Claude Code** (vs-code.md)
- 零數據保留 (zero-data-retention.md)